

SAFETY DATA SHEET

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 07-Feb-2019 Revision Date 07-Feb-2019 Revision Number 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code(s) SDS-06124 EN E

Product Name VeroWhitePlus, RGD835

PN (Part Number) OBJ-02256, OBJ-03258, OBJ-04054, OBJ-06262

Denmark

PR No 2275826

Chemical name Acrylic formulation

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Printing inks

Uses advised against

This product is a cartridge containing ink. Under normal conditions of use, the substance is

released from a cartridge only inside an appropriate printing system, and therefore,

exposure is limited

1.3. Details of the supplier of the safety data sheet

<u>Importer</u>

Stratasys EMEA Regional Office Airport Boulevard B 120 77836 Rheinmünster, Germany Phone: +49-7229-7772-0

For further information, please contact

E-mail address info@Stratasys.com

1.4. Emergency telephone number

Emergency Telephone +44 1235 239670 - Europe - Multi lingual response

Austria Poison Information Centre (AT): +43-(0)1-406 43 43

 Belgium
 Poison Centre (BE): +32 70 245 245

 Croatia
 Poison Control (CR): +385 1 2348 342

Czech Republic Poison Control (CS): +420 224 919 293, +420 224 915 402

DenmarkPoison Control Hotline (DK): +45 82 12 12 12EstoniaPoison Control (ET): 16662, (+372) 626 93 90FinlandPoison Information Centre (FI): +358 9 471 977

France ORFILA (FR): + 01 45 42 59 59

Germany Poison Centre Berlin (DE): +49 030 30686 790 (24 h service, Advice in German and

English)

Greece Poison Information Center (EL): (0030) 2107793777 **Hungary** Poison Information Service (HU): (+ 36-80) 201-199

.....

EN / EGHS Page 1/15

IcelandPoison Information Center: 543 2222ItalyPoison Centre, Milan (IT): +39 02 6610 1029LatviaPoison Information Center (LV): +371 67042473

Lithuania Poison Information Office (LT): +370 5236 20 52 or +370 687 53 378

Luxembourg Belgian Poison Center: (+352) 8002-5500

National Poisons Information Center (NVIC): 030-274 8888

Norway Poison Center: 22 59 13 00

PortugalPoison Information Centre (PT): +351 21 330 3284SpainPoison Information Service (ES): +34 91 562 04 20

Sweden 112 – ask for Poisons Information

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

negulation (20) No 12/2/2000	
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1B - (H317)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

Contains 4-(1-Oxo-2-propenyl)-morpholine, Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate, 2-Hydroxy-3-phenoxypropyl acrylate, 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid



Signal word Danger

Hazard statements

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H373 May cause damage to organs through prolonged or repeated exposure
- H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

- P101 If medical advice is needed, have product container or label at hand
- P102 Keep out of reach of children
- P260 Do not breathe dust/fume/gas/mist/vapours/spray
- P271 Use only outdoors or in a well-ventilated area
- P273 Avoid release to the environment
- P280 Wear protective gloves and eye/face protection
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P391 Collect spillage
- P405 Store locked up
- P501 Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

May be harmful if swallowed. Toxic to aquatic life.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

	=0.11	1 01011	I 147 I 1 1 2 2 2		554011
Chemical name	EC No	CAS No	Weight-%	Classification according to	REACH
				Regulation (EC) No.	Registration
Duamiatani	l inte d		10 00	1272/2008 [CLP]	Number
Proprietary	Listed	-	10 - 30	Skin Irrit. 2 (H315)	17-2120129664-54 -0000
				Eye Irrit.2 H319 Skin Sens. 1B (H317)	-0000
				STOT SE 3 (H335)	
				Aquatic Acute 1 (H400)	
				Aquatic Chronic 1 (H410)	
Proprietary	Listed	_	10 - 30	Acute Tox. 4 (H302)	17-2120129668-46
op.i.ota. y				Eye Dam. 1 (H318)	-0000
				Skin Sens. 1 (H317)	
				STOT RE 2 (H373)	
Proprietary	Listed	-	10 - 30	Skin Sens. 1B (H317)	No data available
Proprietary	Not Listed	-	10 - 30	Skin Sens. 1 (H317)	No data available
Proprietary	Listed	-	10 - 30	Skin Sens. 1B (H317)	No data available
, ,				Aquatic Chronic 2 (H411)	
Proprietary	Listed	-	1-3	Repr. 2 (H361f)	No data available
				Skin Sens. 1 (H317)	
				Aquatic Chronic 2 (H411)	
Titanium dioxide	236-675-5	13463-67-7	0.3-1	Not classified	No data available
camphene	201-234-8	79-92-5	0.1 - 0.3	Flam. Sol. 2 (H228)	No data available
				Eye Irrit. 2 (H319)	
				Aquatic Acute 1 (H400)	
Ethan data d Trins attendations and		00001 10 5	0.1.00	Aquatic Chronic 1 (H410)	No determination
Ethoxylated Trimethylolpropane	-	28961-43-5	0.1 - 0.3	Skin Sens. 1B (H317)	No data available
Triacrylate	001 177 0	79-10-7	0.1.00	Eye Irrit. 2 (H319)	No doto oveileble
Acrylic acid	201-177-9	/9-10-7	0.1 - 0.3	Flam. Liq. 3 (H226) Acute Tox. 4 (H302)	No data available
				Acute Tox. 4 (H312)	
				Acute Tox. 4 (H332)	
				Skin Corr. 1A (H314)	
				Eye Dam. 1 (H318)	
				STOT SE 3 (H335)	
				Aquatic Acute 1 (H400)	
				Aquatic Chronic 2 (H411)	
Glycerol, propoxylated, esters with	500-114-5	52408-84-1	0.1 - 0.3	Skin Sens. 1 (H317)	No data available
acrylic acid				Eye Irrit. 2 (H319)	
1,7,7-Trimethyltricyclo[2.2.1.02,6]hep	208-083-7	508-32-7	0.1 - 0.3	Eye Irrit.2 (H319)	No data available
tane				Aquatic Acute 1 (H400)	
				Aquatic Chronic 1 (H410)	
Aluminium Hydroxide	-	21645-51-2	<0.1	Not classified	No data available
4-Methoxyphenol	205-769-8	150-76-5	<0.1	Acute Tox. 4 (H302)	No data available
				Eye Irrit. 2 (H319)	
				Skin Sens. 1 (H317)	
				Repr. 2 (H361d)	
2-methoxy-1-methylethyl acetate	203-603-9	108-65-6	<0.1	Aquatic Chronic 3 (H412) Flam. Liq. 3 (H226)	No data available
2-memoxy-1-memylemyr acetate	203-003-9	100-03-0	<0.1	STOT SE 3 (H336)	INO data avallable
2,3-Epoxypropyl phenyl ether	204-557-2	122-60-1	<0.1	Acute Tox. 4 (H332)	No data available
2,0 Lpoxypropyr prierryr etirer	207 001-2	122-00-1	\0.1	Skin Irrit. 2 (H315)	140 data available
				Skin Sens. 1 (H317)	
				Muta. 2 (H341)	
				Carc. 1B (H350)	
				STOT SE 3 (H335)	
				Aquatic Chronic 3 (H412)	
Phosphoric acid	231-633-2	7664-38-2	<0.1	Skin Corr. 1B (H314)	No data available

EN / EGHS Page 3/15

		Eye Dam. 1 (H318)	

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or

concerned: Get medical advice/attention.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an

allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsMay cause sensitisation in susceptible persons. Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Class B fires: Use carbon dioxide (CO2), regular dry chemical (sodium bicarbonate), regular foam (Aqueous Film Forming Foam-AFFF), or water spray to cool containers

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Keep out of drains, sewers, ditches and waterways. Inhalation is a health risk. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

EN / EGHS Page 4/15

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from

and upwind of spill/leak.

Occupational Spill Release Intact cartridges do not pose a leak or spill hazard. Damaged cartridges may leak uncured

ink. Stop leak if you can do it without risk Use water spray to reduce vapours or divert vapour cloud drift Absorb spill with inert material (e.g. dry sand or earth), then place in a

chemical waste container Keep out of drains, sewers, ditches and waterways

Other Information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

place into a container for later disposal. Following product recovery, flush area with water.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Do not eat, drink or smoke when using this product. Avoid breathing vapours or mists.

Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye/face protection. Contaminated work clothing should not be allowed out of the

workplace. Avoid release to the environment.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other

chemicals. Store in a cool, well ventilated area. Store in accordance with local regulations. Keep container tightly closed. Store between 15 °C and 27 °C. Shipment temperature (up to 5 weeks) is -20 °C to 50 °C. Store in a combustible storage area away from heat and open

flame.

Hints on joint storage

Storage class LGK10 - Combustible liquids unless storage class 3

7.3. Specific end use(s)

EN / EGHS Page 5/15

Risk Management Methods (RMM) The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure disclaimer Personal protection measures are only needed if cartridge is damaged punctured causing

spillage of material.

8.1. Control parameters

Exposure Limits .

Chemical name	European Union	United Kingdom	France	Spain	Germany
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-
camphene 79-92-5	-	-	TWA: 1000 mg/m ³ STEL: 1500 mg/m ³	-	-
Acrylic acid 79-10-7	-	-	TWA: 2 ppm TWA: 6 mg/m³ STEL: 10 ppm STEL: 30 mg/m³	TWA: 2 ppm TWA: 6 mg/m³ vía dérmica*	TWA: 10 ppm TWA: 30 mg/m³
1,7,7-Trimethyltricyclo[2. 2.1.02,6]heptane 508-32-7	-	-	TWA: 1000 mg/m ³ STEL: 1500 mg/m ³	-	-
Aluminium Hydroxide 21645-51-2	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³	-	-	-
4-Methoxyphenol 150-76-5	-	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³	-
2-methoxy-1-methylethyl acetate 108-65-6	TWA 50 ppm TWA 275 mg/m³ STEL 100 ppm STEL 550 mg/m³	TWA: 50 ppm TWA: 274 mg/m³ STEL: 100 ppm STEL: 548 mg/m³ Sk*	TWA: 50 ppm TWA: 275 mg/m³ STEL: 100 ppm STEL: 550 mg/m³ *	TWA: 50 ppm TWA: 275 mg/m³ STEL: 100 ppm STEL: 550 mg/m³ vía dérmica*	TWA: 50 ppm TWA: 270 mg/m ³
2,3-Epoxypropyl phenyl ether 122-60-1	-	-	TWA: 1 ppm TWA: 6 mg/m ³	TWA: 0.1 ppm TWA: 0.62 mg/m ³ vía dérmica*	-
Phosphoric acid 7664-38-2	TWA 1 mg/m ³ STEL 2 mg/m ³	TWA: 1 mg/m³ STEL: 2 mg/m³	TWA: 0.2 ppm TWA: 1 mg/m³ STEL: 0.5 ppm STEL: 2 mg/m³	TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 2 mg/m ³
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m ³	-	-	TWA: 6 mg/m ³
Acrylic acid 79-10-7	-	TWA: 2 ppm P*	-	TWA: 2 ppm TWA: 6 mg/m³ STEL: 15 ppm STEL: 45 mg/m³	TWA: 2 ppm TWA: 5.9 mg/m³ H*
4-Methoxyphenol 150-76-5	-	TWA: 5 mg/m ³	-	-	TWA: 5 mg/m ³
2-methoxy-1-methylethyl acetate 108-65-6	TWA: 50 ppm TWA: 275 mg/m³ STEL: 100 ppm STEL: 550 mg/m³ pelle*	TWA: 50 ppm TWA: 275 mg/m³ STEL: 100 ppm STEL: 550 mg/m³ P*	TWA: 550 mg/m ³	TWA: 50 ppm TWA: 270 mg/m³ STEL: 100 ppm STEL: 550 mg/m³ iho*	TWA: 50 ppm TWA: 275 mg/m³ H*
2,3-Epoxypropyl phenyl ether 122-60-1	-	TWA: 0.1 ppm P*	-	TWA: 0.5 ppm TWA: 3.1 mg/m³ iho*	TWA: 0.1 ppm TWA: 0.6 mg/m³ H*

EN / EGHS Page 6/15

Phosphoric acid	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
7664-38-2	STEL: 2 mg/m ³	STEL: 3 mg/m ³	STEL: 2 mg/m ³	STEL: 2 mg/m ³	
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Titanium dioxide	TWA: 5 mg/m ³	TWA: 3 mg/m ³	STEL: 30 mg/m ³	TWA: 5 mg/m ³	TWA: 10 mg/m ³
13463-67-7	STEL 10 mg/m ³	-	TWA: 10.0 mg/m ³	STEL: 10 mg/m ³	TWA: 4 mg/m ³
			TWA: 10 mg/m ³		STEL: 30 mg/m ³
					STEL: 12 mg/m ³
Acrylic acid	-	TWA: 10 ppm	STEL: 29.5 mg/m ³	TWA: 10 ppm	TWA: 2 ppm
79-10-7		TWA: 30 mg/m ³	TWA: 10 mg/m ³	TWA: 30 mg/m ³	TWA: 6 mg/m ³
		STEL: 10 ppm		STEL: 15 ppm	STEL: 6 ppm
		STEL: 30 mg/m ³		STEL: 45 mg/m ³	STEL: 18 mg/m ³
Aluminium Hydroxide	TWA: 5 mg/m ³	TWA: 3 mg/m ³	TWA: 2.5 mg/m ³	-	TWA: 10 mg/m ³
21645-51-2	STEL 10 mg/m ³		TWA: 1.2 mg/m ³		TWA: 4 mg/m ³
					STEL: 30 mg/m ³
					STEL: 12 mg/m ³
4-Methoxyphenol	TWA: 5 mg/m ³	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³
150-76-5	STEL 10 mg/m ³			STEL: 10 mg/m ³	STEL: 15 mg/m ³
2-methoxy-1-methylethyl	TWA: 50 ppm	TWA: 50 ppm	STEL: 520 mg/m ³	TWA: 50 ppm	TWA: 50 ppm
acetate	TWA: 275 mg/m ³	TWA: 275 mg/m ³	TWA: 260 mg/m ³	TWA: 270 mg/m ³	TWA: 275 mg/m ³
108-65-6	STEL 100 ppm	STEL: 50 ppm		STEL: 75 ppm	STEL: 100 ppm
	STEL 550 mg/m ³	STEL: 275 mg/m ³		STEL: 337.5 mg/m ³	STEL: 550 mg/m ³
	H*			H*	Sk*
2,3-Epoxypropyl phenyl	H*	TWA: 1 ppm	STEL: 3 mg/m ³	TWA: 1 ppm	TWA: 0.1 ppm
ether		TWA: 6 mg/m ³	TWA: 0.6 mg/m ³	TWA: 5 mg/m ³	TWA: 0.6 mg/m ³
122-60-1		H*		STEL: 2 ppm	STEL: 0.3 ppm
				STEL: 10 mg/m ³	STEL: 1.8 mg/m ³
Phosphoric acid	TWA: 1 mg/m ³	TWA: 1 mg/m ³	STEL: 2 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
7664-38-2	STEL 2 mg/m ³	STEL: 2 mg/m ³	TWA: 1 mg/m ³	STEL: 2 mg/m ³	STEL: 2 mg/m ³

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration

(PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand Protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state liquid
Appearance Ink cartridge
Odour Characteristic

EN / EGHS Page 7/15

Colour white

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH N/A

Melting point / freezing point No data available None known Boiling point / boiling range No data available None known

Flash point >= 100 - < 250 °C

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit:

Lower flammability limit

No data available
No data available

Vapour pressureNo data availableNone knownVapour densityNo data availableNone knownRelative density1.10g/cm3

Water solubility Insoluble in water

No data available Solubility(ies) None known Partition coefficient No data available None known No data available **Autoignition temperature** None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Explosive properties

No information available
No information available

9.2. Other information

Softening point
Molecular weight
VOC Content (%)
Liquid Density
Bulk density
Particle Size
Particle Size
No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Heating may cause a fire.

10.2. Chemical stability

Stability Decomposes on exposure to light. Unstable if heated.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to heat and light.

10.5. Incompatible materials

Incompatible materialsNot applicable under normal conditions of use and storage.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal Decomposition Products. Combustion: oxides of carbon.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. (based on components).

Eye contact Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause

irreversible damage to eyes. (based on components).

Skin contact May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. (based on

components).

Information on toxicological effects

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and

tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 2,455.80 mg/kg mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary	= 4890 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Proprietary	Proprietary = 588 mg/kg (rat)		= 5.28 mg/l (rat)
Proprietary	(Rat) LD50 = 1,590 - 3,910	(Rabbit) LD50 = > 2,000 mg/kg	(Rat) 1 h LC0 = 6.7 mg/l
	mg/kg		
Proprietary	>2000 mg/kg (Rat)	>2000 mg/kg	-
Proprietary	= 2.000 mg/kg (Rat) (Method:	= 2.000 mg/kg (Rat)(Method:	-
	OECD Test Guideline 423)	OECD Test Guideline 402)	
Proprietary	> 5,000 mg/kg (Rat) (OECD	> 2,000 mg/kg (Rat) (OECD	-
	Guideline 401)	Guideline 402)	
Titanium dioxide	> 10000 mg/kg	-	-
	> 10000 mg/kg (Rat)		
camphene	> 5 g/kg (Rat)	> 2500 mg/kg (Rabbit)	= 17100 mg/m ³ (Rat) 1 h
Ethoxylated Trimethylolpropane	-	> 13 g/kg (Rabbit)	-
Triacrylate			
Acrylic acid	= 193 mg/kg (Rat) = 33500	= 295 mg/kg (Rabbit) = 280	= 3.6 mg/L (Rat) 4 h = 11.1
	μg/kg (Rat)	μL/kg (Rabbit)	mg/L (Rat)1h
Aluminium Hydroxide	> 5000 mg/kg (Rat)	-	-
4-Methoxyphenol	= 1600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
2-methoxy-1-methylethyl = 8532 mg/kg (Rat)		> 5 g/kg (Rabbit)	-
acetate			
2,3-Epoxypropyl phenyl ether	= 2600 mg/kg = 3850 mg/kg	= 1500 mg/kg (Rabbit) = 1500	> 100 ppm (Rat) 8 h

EN / EGHS Page 9/15

	= 2600 mg/kg (Rat) = 3850 mg/kg (Rat)	μL/kg (Rabbit)	
Phosphoric acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m³ (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitisation May cause sensitisation by skin contact. Classification based on data available for

ingredients.

Germ cell mutagenicity

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
2,3-Epoxypropyl phenyl ether	Muta. 2

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below indicates whether each agency has listed any ingredient as a carolinegen.				
Chemical name	European Union			
2,3-Epoxypropyl phenyl ether	Carc. 1B			

Reproductive toxicity

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Proprietary	Repr. 2

STOT - single exposure Classification based on data available for ingredients.

STOT - repeated exposure Classification based on data available for ingredients.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Proprietary	1.98 mg/l Fresh water	0.704 mg/l Fresh water	-	0.524 mg/l Fresh water
Proprietary	120 mg/l (algae)	-	-	120 mg/kg (daphnia)
Proprietary	Pseudokirchneriella	Oncorhynchus mykiss	-	Daphnia magna (Water
	subcapitata (green algae)	(rainbow trout) 96 h LC50		flea) 48 h EC50 = 95 mg/l
	96 h EC50 = 0.17 mg/l	= 27 mg/l		
Proprietary	(Pseudokirchneriella	(Fish) : 4,95 mg/l	-	(Daphnia magna Straus)
	subcapitata): 1,6 mg/l			: 2,36 mg/l (Method:
	(Method: OECD Test			OECD Test Guideline
	Guideline 201)			202)
Proprietary		6.53 mg/l, Oryzias latipes	-	3.53 mg/l, Daphnia
	Pseudokirchneriella	(JIS K 0102-71,		magna (OECD Guideline
	subcapitata (OECD	semistatic)		202, part 1, static)
	Guideline 201, static)	·		
camphene	1000: 72 h	0.72: 96 h Brachydanio	-	22: 48 h Daphnia magna

EN / EGHS Page 10 / 15

	Desmodesmus subspicatus mg/L EC50	rerio mg/L LC50 flow-through 150: 96 h Brachydanio rerio mg/L LC50 static		mg/L EC50
Acrylic acid	0.04: 72 h Desmodesmus subspicatus mg/L EC50 0.17: 96 h Pseudokirchneriella subcapitata mg/L EC50	222: 96 h Brachydanio rerio mg/L LC50 semi-static	-	95: 48 h Daphnia magna mg/L EC50 270: 24 h Daphnia magna mg/L LC50 Static
4-Methoxyphenol	-	28.5: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 84.3: 96 h Pimephales promelas mg/L LC50 flow-through	-	-
2-methoxy-1-methylethyl acetate	-	161: 96 h Pimephales promelas mg/L LC50 static	-	500: 48 h Daphnia magna mg/L EC50
2,3-Epoxypropyl phenyl ether	-	43: 96 h Carassius auratus mg/L LC50 static	-	-
Phosphoric acid	-	3 - 3.5: 96 h Gambusia affinis mg/L LC50	-	4.6: 12 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Component information				
	Chemical name	Partition coefficient		
	Acrylic acid	0.46		
	4-Methoxyphenol	1.3		
	2-methoxy-1-methylethyl acetate	0.43		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

Other adverse effects No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations

08 03 12* Waste ink containing dangerous substances.

according to EWC / AVV

Section 14: TRANSPORT INFORMATION

Additional information The environmentally hazardous substance mark is not required when transported in sizes

of ≤5L or ≤5kg

The marine pollutant mark is not required when transported in sizes of ≤5L or ≤5kg

IMDG

14.1 UN Number UN3082

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 9
14.4 Packing group |||

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III, Marine pollutant

14.5 Marine pollutantThis product contains a chemical which is listed as a severe marine pollutant according to

IMDG/IMO

Environmental Hazard Yes

14.6 Special Provisions 274, 335, 969 **EmS-No** F-A, S-F

14.7 Transport in bulk according to No information available

Annex II of MARPOL 73/78 and the

IBC Code

RID

14.1 UN Number UN3082

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 9 Labels 9 14.4 Packing group III

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

14.5 Environmental Hazard Y

14.6 Special Provisions 274, 335, 375, 601

Classification code M6

ADR

14.1 UN Number UN3082

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 9 Labels 9 14.4 Packing group III

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

14.5 Environmental Hazard Yes

14.6 Special Provisions 274, 335, 601, 375

Classification code M6 Tunnel restriction code (E)

<u>IATA</u>

14.1 UN Number UN3082

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)14.4 Packing group

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

14.5 Environmental Hazard Yes

14.6 Special Provisions ERG Code

A97, A158, A197 9L



Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Codepational infecces (11 400 c) 1 failed				
	Chemical name	French RG number	Title	
	4-Methoxyphenol 150-76-5	RG 65	-	
	2-methoxy-1-methylethyl acetate 108-65-6	RG 84	-	

Germany

Water hazard class (WGK) hazardous to water (WGK 2)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
2,3-Epoxypropyl phenyl ether - 122-60-1	28.	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

15.2. Chemical safety assessment

Chemical Safety Report No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

EN / EGHS Page 13 / 15

- H228 Flammable solid
- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eve irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H341 Suspected of causing genetic defects
- H350 May cause cancer
- H361d Suspected of damaging the unborn child
- H361f Suspected of damaging fertility
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

sification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - Vapor	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration toxicity	Calculation method	
Ozone	Calculation method	

Revision Date

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

07-Feb-2019

Disclaime

The information provided in this Safety Data Sheet derives from a third party source. Whilst we believe that the information is correct as at the date of its publication, we do not make any representations or warranties regarding the accuracy or completeness of the information nor the quality or specification of any materials, substances or mixtures referred to herein (collectively, "Materials"). The information is being provided solely as a guideline for the safe handling, use, consumption, processing, storage, transportation, disposal and release of the Materials. The information may not be sufficient for such purposes and the user should not place any reliance on the information provided. The information may not be applicable to Materials that are combined with any materials or in any process other than as expressly stated herein. We shall not be liable for any kind of liability including, without limitation, damages, losses or expenses, arising out of or as a result of any reliance on the information contained in this Safety Data Sheet. This Safety Data Sheet remains our exclusive property and should not be reproduced, modified or distributed without our prior written consent.

EN / EGHS Page 14 / 15

End of Safety Data Sheet

EN / EGHS Page 15 / 15