

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 07-Mar-2019 Revision Date 07-Feb-2019 Revision Number 2

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code(s) SDS-06152 EN E

Product Name DigitalABSPlus Component, RGD531

**PN (Part Number)** OBJ-03293, OBJ-03295

Denmark

PR No N/A

Chemical name Acrylic formulation

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Printing inks

Uses advised against This product is a cartridge containing ink. Under normal conditions of use, the substance is

released from a cartridge only inside an appropriate printing system, and therefore,

exposure is limited

#### 1.3. Details of the supplier of the safety data sheet

<u>Importer</u>

Stratasys EMEA Regional Office Airport Boulevard B 120 77836 Rheinmünster, Germany Phone: +49-7229-7772-0

For further information, please contact

E-mail address info@Stratasys.com

1.4. Emergency telephone number

Emergency Telephone +44 1235 239670 - Europe - Multi lingual response

Austria Poison Information Centre (AT): +43-(0)1-406 43 43

 Belgium
 Poison Centre (BE): +32 70 245 245

 Croatia
 Poison Control (CR): +385 1 2348 342

**Czech Republic** Poison Control (CS): +420 224 919 293, +420 224 915 402

DenmarkPoison Control Hotline (DK): +45 82 12 12 12EstoniaPoison Control (ET): 16662, (+372) 626 93 90FinlandPoison Information Centre (FI): +358 9 471 977

France ORFILA (FR): + 01 45 42 59 59

Germany Poison Centre Berlin (DE): +49 030 30686 790 (24 h service, Advice in German and

English)

**Greece** Poison Information Center (EL): (0030) 2107793777 **Hungary** Poison Information Service (HU): (+ 36-80) 201-199

.....

EN / EGHS Page 1/15

IcelandPoison Information Center: 543 2222ItalyPoison Centre, Milan (IT): +39 02 6610 1029LatviaPoison Information Center (LV): +371 67042473

**Lithuania** Poison Information Office (LT): +370 5236 20 52 or +370 687 53 378

**Luxembourg** Belgian Poison Center: (+352) 8002-5500

Netherlands National Poisons Information Center (NVIC): 030-274 8888

Norway Poison Center: 22 59 13 00

PortugalPoison Information Centre (PT): +351 21 330 3284SpainPoison Information Service (ES): +34 91 562 04 20

**Sweden** 112 – ask for Poisons Information

# **Section 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

ricgulation (EO) No 1212/2000	
Acute toxicity - Oral	Category 4 - (H302)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1B - (H317)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Chronic aquatic toxicity	Category 2 - (H411)

#### 2.2. Label elements

Contains 4-(1-Oxo-2-propenyl)-morpholine, (Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate, Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate, Tripropylene glycol diacrylate



Signal word Danger

#### **Hazard statements**

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H373 May cause damage to organs through prolonged or repeated exposure
- H411 Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

- P101 If medical advice is needed, have product container or label at hand
- P102 Keep out of reach of children
- P260 Do not breathe dust/fume/gas/mist/vapours/spray
- P273 Avoid release to the environment
- P280 Wear protective gloves and eye/face protection
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P391 Collect spillage
- P501 Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

Toxic to aquatic life.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

\_\_\_\_\_

# 3.2 Mixtures

Chamical rama	EC No.	CACNE	Mainlet 0/		DEACH
Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No.	REACH Registration
				1272/2008 [CLP]	Number
Proprietary	Listed	-	10 - 30	Skin Sens. 1B (H317) Aquatic Chronic 2 (H411)	No data available
Proprietary	Listed	_	10 - 30	Acute Tox. 4 (H302)	17-2120129668-46
				Eye Dam. 1 (H318)	-0000
				Skin Sens. 1 (H317)	
				STOT RE 2 (H373)	
Proprietary	Not Listed	-	10 - 30	Eye Irrit. 2 (H319)	No data available
Proprietary	Listed	-	3-10	Skin Irrit. 2 (H315)	17-2120129664-54
				Eye Irrit.2 H319	-0000
				Skin Sens. 1B (H317)	
				STOT SE 3 (H335)	
				Aquatic Acute 1 (H400)	
Droprioton	Listed		3-10	Aquatic Chronic 1 (H410) Skin Irrit. 2 (H315)	No data available
Proprietary	Listea	-	3-10	Eye Irrit. 2 (H319)	No data avallable
				STOT SE 3 (H335)	
				Aquatic Chronic 3 (H412)	
Tripropylene glycol diacrylate	256-032-2	42978-66-5	3-10	Skin Irrit. 2 (H315)	No data available
Tripropylerie grycor diaerylate	200 002 2	12370 00 3	0 10	Eye Irrit. 2 (H319)	TVO data avallable
				Skin Sens. 1 (H317)	
				STOT SE 3 (H335)	
				Aquatic Chronic 2 (H411)	
Proprietary	Listed	-	1-3	Repr. 2 (H361f)	No data available
				Skin Sens. 1 (H317)	
				Aquatic Chronic 2 (H411)	
Titanium dioxide	236-675-5	13463-67-7	0.3-1	Not classified	No data available
Acrylic acid, 2-hydroxyethyl ester	212-454-9	818-61-1	<0.1	Acute Tox. 4 (H302)	17-2120129649-46
				Acute Tox. 3 (H311)	-0000
				Corr. 1B (H314)	
				Eye Dam. 1 (H318) Skin Sens. 1 (H317)	
				Aquatic Acute 1 (H400)	
				Aquatic Acute 1 (11400) Aquatic Chronic 3 (H412)	
Aluminium Hydroxide	-	21645-51-2	<0.1	Not classified	No data available
camphene	201-234-8	79-92-5	<0.1	Flam. Sol. 2 (H228)	No data available
Jan., 19.10	_00. 0			Eye Irrit. 2 (H319)	
				Aquatic Acute 1 (H400)	
				Aquatic Chronic 1 (H410)	
1,7,7-Trimethyltricyclo[2.2.1.02,6]hep	208-083-7	508-32-7	<0.1	Eye Irrit.2 (H319)	No data available
tane				Aquatic Acute 1 (H400)	
				Aquatic Chronic 1 (H410)	
2-methoxy-1-methylethyl acetate	203-603-9	108-65-6	<0.1	Flam. Liq. 3 (H226)	No data available
				STOT SE 3 (H336)	
Phosphoric acid	231-633-2	7664-38-2	<0.1	Skin Corr. 1B (H314)	No data available
A 1: -1	004 477 0	70.10.7	0.4	Eye Dam. 1 (H318)	N
Acrylic acid	201-177-9	79-10-7	<0.1	Flam. Liq. 3 (H226) Acute Tox. 4 (H302)	No data available
				Acute Tox. 4 (H302) Acute Tox. 4 (H312)	
				Acute Tox. 4 (H312) Acute Tox. 4 (H332)	
				Skin Corr. 1A (H314)	
				Eye Dam. 1 (H318)	
				STOT SE 3 (H335)	
				Aquatic Acute 1 (H400)	
				Aquatic Chronic 2 (H411)	
4-Methoxyphenol	205-769-8	150-76-5	<0.1	Acute Tox. 4 (H302)	No data available
				Eye Irrit. 2 (H319)	

EN / EGHS Page 3/15

				Skin Sens. 1 (H317) Repr. 2 (H361d) Aquatic Chronic 3 (H412)	
2,3-Epoxypropyl phenyl ether	204-557-2	122-60-1	<0.1	Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350) STOT SE 3 (H335) Aquatic Chronic 3 (H412)	No data available

Full text of H- and EUH-phrases: see section 16

# **Section 4: FIRST AID MEASURES**

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Eye contact** Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an

allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors**May cause sensitisation in susceptible persons. Treat symptomatically.

## Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Class B fires: Use carbon dioxide (CO2), regular dry chemical (sodium bicarbonate), regular foam (Aqueous Film Forming Foam-AFFF), or water spray to cool containers

**Unsuitable extinguishing media** No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Product is or

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact.

5.3. Advice for firefighters

EN / EGHS Page 4/15

\_\_\_\_\_\_

Special protective equipment for fire-fighters

Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Keep out of drains, sewers, ditches and waterways. Inhalation is a health risk. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# **Section 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from

and upwind of spill/leak.

Occupational Spill Release Intact cartridges do not pose a leak or spill hazard. Damaged cartridges may leak uncured

ink. Stop leak if you can do it without risk Use water spray to reduce vapours or divert vapour cloud drift Absorb spill with inert material (e.g. dry sand or earth), then place in a

chemical waste container Keep out of drains, sewers, ditches and waterways

**Other Information** Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

place into a container for later disposal. Following product recovery, flush area with water.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **Section 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

**Advice on safe handling**Do not eat, drink or smoke when using this product. Avoid breathing vapours or mists.

Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye/face protection. Contaminated work clothing should not be allowed out of the

workplace. Avoid release to the environment.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other

chemicals. Store in a cool, well ventilated area. Store in accordance with local regulations. Keep container tightly closed. Store between 15 °C and 27 °C. Shipment temperature (up to

EN / EGHS Page 5/15

5 weeks) is -20  $^{\circ}$ C to 50  $^{\circ}$ C. Store in a combustible storage area away from heat and open flame.

Hints on joint storage

Storage class LGK10 - Combustible liquids unless storage class 3

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Material Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure disclaimer

Personal protection measures are only needed if cartridge is damaged punctured causing

spillage of material.

## 8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
13463-67-7		TWA: 4 mg/m <sup>3</sup>			
		STEL: 30 mg/m <sup>3</sup>			
		STEL: 12 mg/m <sup>3</sup>			
Aluminium Hydroxide	-	TWA: 10 mg/m <sup>3</sup>	-	-	-
21645-51-2		TWA: 4 mg/m <sup>3</sup>			
camphene	-	-	TWA: 1000 mg/m <sup>3</sup>	-	-
79-92-5			STEL: 1500 mg/m <sup>3</sup>		
1,7,7-Trimethyltricyclo[2.	-	-	TWA: 1000 mg/m <sup>3</sup>	-	-
2.1.02,6]heptane			STEL: 1500 mg/m <sup>3</sup>		
508-32-7					
2-methoxy-1-methylethyl	TWA 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm
acetate	TWA 275 mg/m <sup>3</sup>	TWA: 274 mg/m <sup>3</sup>	TWA: 275 mg/m <sup>3</sup>	TWA: 275 mg/m <sup>3</sup>	TWA: 270 mg/m <sup>3</sup>
108-65-6	STEL 100 ppm	STEL: 100 ppm	STEL: 100 ppm	STEL: 100 ppm	
	STEL 550 mg/m <sup>3</sup>	STEL: 548 mg/m <sup>3</sup>	STEL: 550 mg/m <sup>3</sup>	STEL: 550 mg/m <sup>3</sup>	
	*	Sk*	*	vía dérmica*	
Phosphoric acid	TWA 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 0.2 ppm	TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
7664-38-2	STEL 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	
			STEL: 0.5 ppm		
			STEL: 2 mg/m <sup>3</sup>		
Acrylic acid	-	-	TWA: 2 ppm	TWA: 2 ppm	TWA: 10 ppm
79-10-7			TWA: 6 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>	TWA: 30 mg/m <sup>3</sup>
			STEL: 10 ppm	vía dérmica*	
			STEL: 30 mg/m <sup>3</sup>		
4-Methoxyphenol	-	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	-
150-76-5					
2,3-Epoxypropyl phenyl	-	-	TWA: 1 ppm	TWA: 0.1 ppm	-
ether			TWA: 6 mg/m <sup>3</sup>	TWA: 0.62 mg/m <sup>3</sup>	
122-60-1				vía dérmica*	
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 6 mg/m <sup>3</sup>
13463-67-7					
Acrylic acid,	-	-	-	-	TWA: 1 ppm
2-hydroxyethyl ester					TWA: 5 mg/m <sup>3</sup>
818-61-1					H*
2-methoxy-1-methylethyl	TWA: 50 ppm	TWA: 50 ppm	TWA: 550 mg/m <sup>3</sup>	TWA: 50 ppm	TWA: 50 ppm
acetate	TWA: 275 mg/m <sup>3</sup>	TWA: 275 mg/m <sup>3</sup>		TWA: 270 mg/m <sup>3</sup>	TWA: 275 mg/m <sup>3</sup>
108-65-6	STEL: 100 ppm	STEL: 100 ppm		STEL: 100 ppm	H*

EN / EGHS Page 6/15

	STEL: 550 mg/m <sup>3</sup>	STEL: 550 mg/m <sup>3</sup>		STEL: 550 mg/m <sup>3</sup>	
	pelle*	P*		iho*	
Phosphoric acid	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
7664-38-2	STEL: 2 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	
Acrylic acid	-	TWA: 2 ppm	-	TWA: 2 ppm	TWA: 2 ppm
79-10-7		P*		TWA: 6 mg/m <sup>3</sup>	TWA: 5.9 mg/m <sup>3</sup>
				STEL: 15 ppm	H*
				STEL: 45 mg/m <sup>3</sup>	
4-Methoxyphenol	-	TWA: 5 mg/m <sup>3</sup>	-	-	TWA: 5 mg/m <sup>3</sup>
150-76-5					
2,3-Epoxypropyl phenyl	-	TWA: 0.1 ppm p*	-	TWA: 0.5 ppm	TWA: 0.1 ppm
ether		P^		TWA: 3.1 mg/m <sup>3</sup>	TWA: 0.6 mg/m <sup>3</sup>
122-60-1 Chemical name	Austria	Switzerland	Poland	iho*	H* Ireland
Titanium dioxide	TWA: 5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>	Norway TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7	STEL 10 mg/m <sup>3</sup>	I WA. 3 mg/m²	TWA: 10.0 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
13463-67-7	STEL TO HIg/III		TWA: 10.0 mg/m <sup>3</sup>	STEL. TO HIG/III	STEL: 30 mg/m <sup>3</sup>
			I TVVA. TO HIG/III		STEL: 30 mg/m <sup>3</sup>
Aluminium Hydroxide	TWA: 5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	_	TWA: 10 mg/m <sup>3</sup>
21645-51-2	STEL 10 mg/m <sup>3</sup>	1 <b>1 1 1 1</b> 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TWA: 1.2 mg/m <sup>3</sup>		TWA: 4 mg/m <sup>3</sup>
	0 · == · o · · · · g · · ·		·····		STEL: 30 mg/m <sup>3</sup>
					STEL: 12 mg/m <sup>3</sup>
2-methoxy-1-methylethyl	TWA: 50 ppm	TWA: 50 ppm	STEL: 520 mg/m <sup>3</sup>	TWA: 50 ppm	TWA: 50 ppm
acetate	TWA: 275 mg/m <sup>3</sup>	TWA: 275 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 270 mg/m <sup>3</sup>	TWA: 275 mg/m <sup>3</sup>
108-65-6	STEL 100 ppm	STEL: 50 ppm		STEL: 75 ppm	STEL: 100 ppm
	STEL 550 mg/m <sup>3</sup>	STEL: 275 mg/m <sup>3</sup>		STEL: 337.5 mg/m <sup>3</sup>	STEL: 550 mg/m <sup>3</sup>
	H*			H*	Sk*
Phosphoric acid	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
7664-38-2	STEL 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>
Acrylic acid 79-10-7	-	TWA: 10 ppm TWA: 30 mg/m <sup>3</sup>	STEL: 29.5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 30 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup>
/9-10-7		STEL: 10 ppm	I IVVA. TO ITIG/ITIS	STEL: 15 ppm	STEL: 6 ppm
		STEL: 10 ppill STEL: 30 mg/m <sup>3</sup>		STEL: 15 ppin STEL: 45 mg/m <sup>3</sup>	STEL: 6 ppill STEL: 18 mg/m <sup>3</sup>
4-Methoxyphenol	TWA: 5 mg/m <sup>3</sup>		TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
150-76-5	STEL 10 mg/m <sup>3</sup>	_	I VV/ (. 5 mig/m²	STEL: 10 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>
2,3-Epoxypropyl phenyl	H*	TWA: 1 ppm	STEL: 3 mg/m <sup>3</sup>	TWA: 1 ppm	TWA: 0.1 ppm
ether		TWA: 6 mg/m <sup>3</sup>	TWA: 0.6 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 0.6 mg/m <sup>3</sup>
122-60-1		H*	,	STEL: 2 ppm	STEL: 0.3 ppm
				STEL: 10 mg/m <sup>3</sup>	STEL: 1.8 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)**No information available.

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand Protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

EN / EGHS Page 7/15

**Environmental exposure controls** No information available.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

Physical stateliquidAppearanceInk cartridgeOdourCharacteristic

**Colour** white

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH N/A

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash point >= 100 - < 250 °C

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit: No data available

Lower flammability limit No data available

Vapour pressureNo data availableNone knownVapour densityNo data availableNone knownRelative density1.09g/cm3

Water solubility Insoluble in water

Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

**Explosive properties**No information available **Oxidising properties**No information available

9.2. Other information

Softening point
Molecular weight
VOC Content (%)
Liquid Density
Bulk density
Particle Size
Particle Size
No information available

# **Section 10: STABILITY AND REACTIVITY**

10.1. Reactivity

**Reactivity** Heating may cause a fire.

10.2. Chemical stability

**Stability** Decomposes on exposure to light. Unstable if heated.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

EN / EGHS Page 8/15

**Possibility of hazardous reactions** Uncured ink will polymerize on exposure to light.

10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to heat and light.

10.5. Incompatible materials

**Incompatible materials**Not applicable under normal conditions of use and storage.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal Decomposition Products. Combustion: oxides of carbon.

# **Section 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

# Information on likely routes of exposure

#### **Product Information**

**Inhalation** May cause irritation of respiratory tract. (based on components).

**Eye contact** Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause

irreversible damage to eyes. (based on components).

**Skin contact** May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if

swallowed. (based on components).

Information on toxicological effects

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and

tearing of the eyes.

Numerical measures of toxicity

**Acute toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,970.80 mg/kg mg/l

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary	= 2.000 mg/kg (Rat) (Method:	= 2.000 mg/kg (Rat)(Method:	-
	OECD Test Guideline 423)	OECD Test Guideline 402)	
Proprietary	= 588 mg/kg (rat)	> 2000 mg/kg (rat)	= 5.28 mg/l (rat)
Proprietary	= 4890 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Proprietary > 2000 mg/kg (rat)		-	-
Tripropylene glycol diacrylate	= 6200 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
Proprietary	> 5,000 mg/kg (Rat) (OECD	> 2,000 mg/kg (Rat) (OECD	-
	Guideline 401)	Guideline 402)	
Titanium dioxide	> 10000 mg/kg	-	-
	> 10000 mg/kg (Rat)		
Acrylic acid, 2-hydroxyethyl	= 548 mg/kg (Rat)	= 154 mg/kg (Rabbit)	<del>-</del>

EN / EGHS Page 9/15

ester			
Aluminium Hydroxide	Aluminium Hydroxide > 5000 mg/kg (Rat)		-
camphene	> 5 g/kg (Rat)	> 2500 mg/kg (Rabbit)	= 17100 mg/m <sup>3</sup> (Rat) 1 h
2-methoxy-1-methylethyl	= 8532 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
acetate			
Phosphoric acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m <sup>3</sup> (Rat) 1 h
Acrylic acid	Acrylic acid = 193 mg/kg ( Rat ) = 33500		= 3.6  mg/L (Rat) 4  h = 11.1
	μg/kg (Rat)	μL/kg (Rabbit)	mg/L (Rat)1h
4-Methoxyphenol	= 1600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
2,3-Epoxypropyl phenyl ether	= 2600 mg/kg = 3850 mg/kg	= 1500 mg/kg (Rabbit) = 1500	> 100 ppm (Rat) 8 h
	= 2600 mg/kg (Rat) = 3850	μL/kg (Rabbit)	
	mg/kg (Rat)		

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitisation May cause sensitisation by skin contact. Classification based on data available for

ingredients.

Germ cell mutagenicity

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union				
2,3-Epoxypropyl phenyl ether	Muta. 2				

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
2,3-Epoxypropyl phenyl ether	Carc. 1B

#### Reproductive toxicity

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Proprietary	Repr. 2

STOT - single exposure No information available.

**STOT - repeated exposure**Classification based on data available for ingredients.

**Aspiration hazard** No information available.

# **Section 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

**Ecotoxicity** Toxic to aquatic life with long lasting effects

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Proprietary	(Pseudokirchneriella subcapitata) : 1,6 mg/l (Method: OECD Test Guideline 201)	(Fish) : 4,95 mg/l	-	(Daphnia magna Straus) : 2,36 mg/l (Method: OECD Test Guideline 202)
Proprietary	120 mg/l (algae)	-	-	120 mg/kg (daphnia)

EN / EGHS Page 10 / 15

		0 = 0.4		
Proprietary	1.98 mg/l Fresh water	0.704 mg/l Fresh water	-	0.524 mg/l Fresh water
Proprietary	2.28 mg/l	1.79 mg/l Zebra Fish	-	2.57 mg/l Water Flea
Tripropylene glycol	28: 72 h Desmodesmus	4.5 - 10: 96 h Leuciscus	-	88.7: 48 h Daphnia
diacrylate	subspicatus mg/L EC50	idus mg/L LC50		magna mg/L EC50
Proprietary	> 2.01 mg/l (growth rate),	6.53 mg/l, Oryzias latipes	-	3.53 mg/l, Daphnia
	Pseudokirchneriella	(JIS K 0102-71,		magna (OECD Guideline
	subcapitata (OECD	semistatic)		202, part 1, static)
	Guideline 201, static)			
Acrylic acid,	-	4.8: 96 h Pimephales	-	0.78: 48 h Daphnia
2-hydroxyethyl ester		promelas mg/L LC50		magna mg/L EC50
		flow-through		
camphene	1000: 72 h	0.72: 96 h Brachydanio	-	22: 48 h Daphnia magna
	Desmodesmus	rerio mg/L LC50		mg/L EC50
	subspicatus mg/L EC50	flow-through 150: 96 h		
		Brachydanio rerio mg/L		
		LC50 static		
2-methoxy-1-methylethyl	-	161: 96 h Pimephales	-	500: 48 h Daphnia
acetate		promelas mg/L LC50		magna mg/L EC50
		static		
Phosphoric acid	-	3 - 3.5: 96 h Gambusia	-	4.6: 12 h Daphnia magna
		affinis mg/L LC50		mg/L EC50
Acrylic acid	0.04: 72 h Desmodesmus	222: 96 h Brachydanio	-	95: 48 h Daphnia magna
	subspicatus mg/L EC50	rerio mg/L LC50		mg/L EC50 270: 24 h
	0.17: 96 h	semi-static		Daphnia magna mg/L
	Pseudokirchneriella			LC50 Static
	subcapitata mg/L EC50			
4-Methoxyphenol	-	28.5: 96 h Oncorhynchus	-	-
		mykiss mg/L LC50		
		flow-through 84.3: 96 h		
		Pimephales promelas		
		mg/L LC50 flow-through		
2,3-Epoxypropyl phenyl	-	43: 96 h Carassius	-	-
ether		auratus mg/L LC50 static		

# 12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Tripropylene glycol diacrylate	2.77
Acrylic acid, 2-hydroxyethyl ester	0.21
2-methoxy-1-methylethyl acetate	0.43
Acrylic acid	0.46
4-Methoxyphenol	1.3

# 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** No information available.

12.6. Other adverse effects

Other adverse effects No information available.

\_\_\_\_\_

EN / EGHS Page 11 / 15

# **Section 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

Waste codes / waste designations

according to EWC / AVV

08 03 12\* Waste ink containing dangerous substances.

# **Section 14: TRANSPORT INFORMATION**

Additional information The environmentally hazardous substance mark is not required when transported in sizes

of ≤5L or ≤5kg

The marine pollutant mark is not required when transported in sizes of ≤5L or ≤5kg

**IMDG** 

products

**14.1 UN Number** UN3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 9

14.4 Packing group

**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

((Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate,

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III, Marine pollutant

14.5 Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to

IMDG/IMO

**Environmental Hazard** Yes

**14.6 Special Provisions** 274, 335, 969 **EmS-No** F-A, S-F

14.7 Transport in bulk according to No information available

Annex II of MARPOL 73/78 and the

**IBC Code** 

**RID** 

**14.1 UN Number** UN3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 9 Labels 9 14.4 Packing group III

**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

((Octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate,

exo-1,7,7-Trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

14.5 Environmental Hazard Yes

**14.6 Special Provisions** 274, 335, 375, 601

Classification code M6

<u>ADR</u>

**14.1 UN Number** UN3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 9 Labels 9 14.4 Packing group III

**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

((Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate,

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

EN / EGHS Page 12 / 15

14.5 Environmental Hazard Yes

14.6 Special Provisions 274, 335, 601, 375

Classification code M6 **Tunnel restriction code** (E)

IATA

14.1 UN Number UN3082

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 14.4 Packing group

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Description

((Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate,

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

14.5 Environmental Hazard

14.6 Special Provisions A97, A158, A197 9L

**ERG Code** 



# **Section 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

**France** 

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Acrylic acid, 2-hydroxyethyl ester	RG 65	-
818-61-1		
2-methoxy-1-methylethyl acetate	RG 84	-
108-65-6		
4-Methoxyphenol	RG 65	-
150-76-5		

Germany

hazardous to water (WGK 2) Water hazard class (WGK)

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
2,3-Epoxypropyl phenyl ether - 122-60-1	28.	

#### **Persistent Organic Pollutants**

Not applicable

#### Dangerous substance category per Seveso Directive (2012/18/EU)

EN / EGHS Page 13 / 15 \_\_\_\_\_\_

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

15.2. Chemical safety assessment

Chemical Safety Report No information available

# **Section 16: OTHER INFORMATION**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H228 - Flammable solid

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H361d - Suspected of damaging the unborn child

H361f - Suspected of damaging fertility

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

# Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method

EN / EGHS Page 14 / 15

Aspiration toxicity	Calculation method
Ozone	Calculation method

**Revision Date** 

07-Feb-2019

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet derives from a third party source. Whilst we believe that the information is correct as at the date of its publication, we do not make any representations or warranties regarding the accuracy or completeness of the information nor the quality or specification of any materials, substances or mixtures referred to herein (collectively, "Materials"). The information is being provided solely as a guideline for the safe handling, use, consumption, processing, storage, transportation, disposal and release of the Materials. The information may not be sufficient for such purposes and the user should not place any reliance on the information provided. The information may not be applicable to Materials that are combined with any materials or in any process other than as expressly stated herein. We shall not be liable for any kind of liability including, without limitation, damages, losses or expenses, arising out of or as a result of any reliance on the information contained in this Safety Data Sheet. This Safety Data Sheet remains our exclusive property and should not be reproduced, modified or distributed without our prior written consent.

**End of Safety Data Sheet** 

.....