

Stratasys FabriX Innovation Kit

StrataSyS | J850

Stratasys

FabriX[™] Innovation Kit

+

FabriX[™] Innovation Kit extends the ultra-realistic CMF (Color-Material-Finish) capabilities of the J850[™] Prime even further with an easy-to-use, comprehensive, and repeatable solution for 3D printing on fabric and flexible substrates. Experiment with new materials and printing techniques for a wider range of options. Explore the possibilities of 3D printing on fabric and create design prototypes that are both innovative and stylish. FabriX is the ideal tool kit for designers at R&D and Innovation Centers in the Education, Consumer Goods, Wearable Electronics and the Concept Car and Automotive Industries.

Powered by Stratasys 3DFashion[™] technology that, together with FabriX, enables optimization of the absorption rate mechanism for perfect adhesion of jetted materials on a variety of fabric types. Designers and researchers can easily 3D print on fabric, in full color, and clear print creating extraordinary designs on textile for educational research, military, wearable electronics, footwear and more. FabriX innovation kit transforms the J850 Prime into an end-to-end hybrid system for printing both 3D model parts and 3D printing on flexible, flat substrates, such as fabric, carbon fiber, flexible polymers, mylar, netting, canvas and more. The ultimate solution for design and concept 3D printing with a super simple workflow that is easily implemented using our GrabCAD™ Print software.





FabriX Innovation Kit is essential for your J850 Prime printer with hardware and software upgrades including:

- Fabric mounting jig (0.2-2.5mm thickness)
- Automatic fabric thickness
 calibration
- Flexible Material Printing on Fabric
- UV light illumination control during print process
- Netting-Fabric Insert
- Fabric Analyzer Wizard

_						

See the specs.

Product Specifications										
Fabrix Specifications										
Vero ™ & VeroUltra™ family of opaque materials + neutral shades and vibrant VeroVivid™ colors Agilus30 ™ Clear, Black, White, Cyan, Magenta, Yellow Transparent VeroClear™ and VeroUltra™ Clear										
Digital Model Materials - Over 600,000 colors and Pantone® Validated palettes - Translucent color tints - Flexible tactile materials in a variety of textures and colors										
SUP705™ (water jet removable) SUP706B™ (soluble)										
	ISO standards		100% Polyster	50/50% Cotton Polyster	Linen					
Printed fabric adhesion	Color Fastness to Laundering @40c - ISO 105-C06:2010 (1-5)	5	5	5	5					
certification	Color Fastness to Laundering @60c - ISO 105-C06:2010 (1-5)		5	5	5					
	Color Fastness to Light ISO 105-B02:2013 (1-8)	7-8	7-8	7-8	7-8					
Fabric Size	Fabric Size Handling: min 560 x 460mm Fabric Thickness: 0.2-2.5mm									
Effective Printing Area (After upgrade)	460 x 360 x 200 mm (18.1 x 14.2 x 7.8 in)									
Layer Thickness	ss Horizontal build layers down to 27-micron (0.001 in.)									
Workstation Compatibility	LAN - TCP/IP									
Network Connectivity	Operating: Temperature: 15 – 30 °C (59 – 86 °F), Humidity: 30 – 70% RH Storage: Temperature: 0 – 35 °C (32 – 95 °F), Humidity: 20 – 90% RH									

Dream it. Print it.

Learn more about the FabriX Innovation Kit at sys-uk.com.







SYS Systems Limited, Chadwick House, Woodyard Lane, Foston, Derby DE65 5BU T: 01283 585955 | E: info@sys-uk.com | www.sys-uk.com

